



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005854145

Filing Deadline: July 15, 2013

FRN: 0017363995

Filing Date: 07/11/2013 09:22 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Honeywell International, Inc

Brand Names: Dolphin

PO Box:

Street Address: 9680 Old Bailes Road

City: Fort Mill

State: SC

Zip Code: 29707

Contact Name: Mike Robinson

Contact Phone: (315) 554-6000

Contact Fax: (315) 554-6393

Contact Email: Michael.Robinson3@honeywell.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.honeywellaidc.com/CatalogDocuments/500032051.pdf>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: The reported handsets are sold to commercial enterprises for business use, and not directly to consumers or in retail stores. Honeywell provides hearing-aid compatibility information on its public website and in product user manuals, and HAC ratings are listed on the exterior of boxes for handsets certified as hearing-aid compatible.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 2

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 10

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
GSM	10	100%						10
CDMA	2	100%						2
WCDMA	10	100%						10

Handset 1: Honeywell 6000LU

Handset Maker

Honeywell

Handset Model Name

6000LU

FCC ID

HD5D6000

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Honeywell 70ELG0

Handset Maker

Honeywell

Handset Model Name

70ELG0

FCC ID

HD570ELG0

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1900 MHz GSM

1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5000 MHz Wi-Fi

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Honeywell 70ELGN

Handset Maker

Honeywell

Handset Model Name

FCC ID

70ELGN

HD570ELGN

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5000 MHz Wi-Fi

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Honeywell 7600BG

Handset Maker

Honeywell

Handset Model Name

7600BG

FCC ID

HD5760003

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Honeywell 7600LG

Handset Maker

Honeywell

Handset Model Name

FCC ID

7600LG

HD5760004

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Honeywell 7800LC

Handset Maker

Honeywell

Handset Model Name

FCC ID

7800LC

HD57800LC

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 11/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Honeywell 7800LW

Handset Maker

Honeywell

Handset Model Name

FCC ID

7800LW

HD57800LW

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 11/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Honeywell 9700LUP

Handset Maker

Honeywell

Handset Model Name

FCC ID

9700LUP

HD59700LUP

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/12/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Honeywell 9900LUP

Handset Maker

Honeywell

Handset Model Name

FCC ID

9900LUP

HD59900LUP

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz WCDMA
850 MHz GSM
850 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/01/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Honeywell 99EXLW

Handset Maker

Honeywell

Handset Model Name

FCC ID

99EXLW

HD599EXLW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

Michael Robinson Quality Engineer III
07/11/2013 09:22 AM